

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/813,970	03/31/2004	Paul Philip Brown	155-21	5922
22653	7590 08/29/2006		EXAMINER	
EDWARD W CALLAN NO. 705 PMB 452			HUSON, MONICA ANNE	
3830 VALLEY CENTRE DRIVE		ART UNIT	PAPER NUMBER	
SAN DIEGO, CA 92130			1732	
			DATE MAILED: 08/29/2006	6

Please find below and/or attached an Office communication concerning this application or proceeding.

			1			
		Application No.	Applicant(s)			
Office Action Summary		10/813,970	BROWN ET AL.			
		Examiner	Art Unit			
		Monica A. Huson	1732			
Period fo	The MAILING DATE of this communication app or Reply	ears on the cover sheet with the c	orrespondence address			
WHIC - Exte after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DANSIONS of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. O period for reply is specified above, the maximum statutory period we tree to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tin vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nety filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status						
1)🛛	Responsive to communication(s) filed on 11 Au	<u>ıgust 2006</u> .				
2a)⊠	This action is FINAL . 2b) This action is non-final.					
3)[Since this application is in condition for allowar					
	closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 45	53 O.G. 213.			
Dispositi	ion of Claims					
5)□ 6)⊠ 7)□	Claim(s) 1-4 and 12-15 is/are pending in the ap 4a) Of the above claim(s) is/are withdraw Claim(s) is/are allowed. Claim(s) 1-4 and 12-15 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and/or	vn from consideration.				
Applicati	ion Papers					
10)⊠	The specification is objected to by the Examiner The drawing(s) filed on 31 March 2004 is/are: a Applicant may not request that any objection to the conference Replacement drawing sheet(s) including the correction The oath or declaration is objected to by the Examiner.	a) accepted or b) objected to drawing(s) be held in abeyance. See on is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).			
Priority u	under 35 U.S.C. § 119					
a)[Acknowledgment is made of a claim for foreign All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prioric application from the International Bureau See the attached detailed Office action for a list of	s have been received. s have been received in Application ity documents have been received (PCT Rule 17.2(a)).	on No ed in this National Stage			
_	e of References Cited (PTO-892)	4) Interview Summary				
3) 🔲 Inform	e of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) r No(s)/Mail Date	Paper No(s)/Mail Da 5) Notice of Informal Pa 6) Other:	te atent Application (PTO-152)			

Art Unit: 1732

DETAILED ACTION

This office action is in response to the Amendment filed 11 August 2006.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless – (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-3 and 12-13 are rejected under 35 U.S.C. 102(b) as being anticipated by Cole (U.S. Patent 4,541,795). Regarding Claim 1, Cole shows that it is known to carry out a method for manufacturing a hollow plastic product with two open ends and a substantially tubular section (Figure 2), the process comprising the steps of a. providing a cavity mold part that includes a generally cylindrical portion for forming at least an outside segment of a substantially tubular section of a molded hollow plastic product that has one open end, one closed end, and a substantially tubular section (Figure 3, e.g. element 107); b. providing a core mold part that includes a generally cylindrical portion for forming at least an inside segment of the substantially tubular section of the molded plastic product (Figure 3, e.g. element 119); c. combining the cavity mold part with the core mold part to configure a mold cavity for forming the molded plastic product (Figure 3); d. injecting plastic material into the mold cavity to form the molded plastic product (Column 8, lines 57-59); e. separating the core mold part from the cavity mold part while retaining the molded plastic product on the core mold part (Column 8, lines 65-68; Figure 4); f. removing the molded product from the core mold part (Figures 5, 6; Column 9, lines 16-18); g. after step f., removing at least a portion of the closed end of

the molded plastic product to provide a manufactured hollow plastic product with two open ends and a substantially tubular section (Figure 2; Column 3, lines 30-39; Column 5, lines 11-53); wherein step f. comprises injecting compressed air into the closed end of the molded product to thereby at least help remove the molded product from the core mold part (Column 6, lines 39-46; Column 7-14; Column 9, lines 54-62).

Regarding Claim 2, Cole shows the process as claimed as discussed in the rejection of Claim 1 above, including a method wherein step f. comprises the step of h. including injecting compressed air through the core mold part into the closed end of the molded product (Column 6, lines 39-46; Column 7-14; Column 9, lines 54-62).

Regarding Claim 3, Cole shows the process as claimed as discussed in the rejection of Claim 1 above, including a method wherein the product further includes a thread at the outside of one end of the product (Figure 1), wherein step a. comprises h. providing a said cavity mold part that includes a threadforming portion for forming the thread of product (Figure 3, element 105); wherein step b. comprises the step of i. providing a said core mold part that includes an inner core that is movable relative to the generally cylindrical portion of the core mold part for forming an inside segment of the product lying inside the thread when the inner core is protracted (Figure 3, element 111, 14; Column 7, lines 59-66); wherein step c. further comprises the step of j. protracting the inner core relative to the generally cylindrical portion of the core mold part to further configure the mold cavity for forming the product (Figure 3); wherein the process further comprises the step of k. subsequent to the injection of the plastic according to step d., retracting the inner core relative to the generally cylindrical portion of the core mold part (Figure 4); and wherein separation of the core mold part from the cavity mold part according to step e. thereby removes the thread from the thread forming portion of the cavity mold part (Figure 6).

Application/Control Number: 10/813,970

Art Unit: 1732

Regarding Claim 12, Cole shows that it is known to have an apparatus for manufacturing a hollow plastic product with two open ends and a substantially tubular section (Figure 2), comprising a cavity mold part that includes a generally cylindrical portion for forming at least an outside segment of a substantially tubular section of a molded hollow plastic product that has one open end, one closed end, and a substantially tubular section (Figure 3); a core mold part that includes a generally cylindrical portion for forming at least an inside segment of the substantially tubular section of the molded plastic product (Figure 3); wherein a mold cavity for forming the molded plastic product is configured when the cavity mold part is combined with the core mold part, and the molded product is formed by injecting plastic material into the mold cavity (Figure 3); means for injecting compressed air into the closed end of the molded product to thereby at least help remove the molded product from the core mold after the core mold part has been separated from the cavity mold part while retaining the molded product on the core mold part (Figure 6, e.g. element 115); and manufacturing means for removing at least a portion of the closed end of the molded product after the molded product has been removed from the core mold part to provide a manufactured hollow plastic product with two open ends and a substantially tubular section (Figure 2, e.g. element 26).

Page 4

Regarding Claim 13, Cole shows the apparatus as claimed as discussed in the rejection of Claim 12 above, including an apparatus wherein the core mold part includes means for channeling compressed air through the core mold part into the closed end of the molded product (Figure 6, e.g. element 115).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 4, 14, and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Cole.

Regarding Claim 4, Cole shows that it is known to carry out a method for manufacturing a hollow plastic product with a substantially tubular section and a thread at the outside of one end of the product (Figure 1), the process comprising the steps of a. providing a cavity mold part that includes a generally cylindrical portion for forming at least an outside segment of a substantially tubular section of a hollow plastic product that also has a thread at the outside of one end of the product and a thread forming portion for forming the thread of the product (Figure 3); b. providing a core mold part that includes a generally cylindrical portion for forming at least an inside segment of the substantially tubular section of the product and an inner core that is movable relative to the generally cylindrical portion of the core mold part for forming an inside segment of the product lying inside the thread when the inner core is protracted relative to the generally cylindrical portion of the core mold part (Figure 3, e.g. element 14, 111; Column 7, lines 59-66); c. combining the cavity mold part with the core mold part with the inner core being protracted relative to the generally cylindrical portion of the core mold part to configure a mold cavity for forming the product (Figure 3); d. injecting plastic material into the mold cavity to form the molded plastic product (Column 8, lines 57-59); e. retracting the inner core relative to the generally cylindrical portion of the core mold part (Figure 4); and f. separating the core mold part from the cavity mold part to thereby remove the thread from the thread-forming portion of the cavity mold part (Figures 4-6). Although Cole does not explicitly show separating the core mold part from the cavity mold part to thereby remove the thread from the

Art Unit: 1732

thread-forming portion of the cavity mold part while retaining the molded product on the core mold part, he clearly discloses that his movable mold pieces can be moved in any desired sequence, as is well-known in the art (Column 6, lines 60-68). Therefore, it would have been prima facie obvious to one of ordinary skill in the art at the time the invention was made to separate the core mold part from the cavity mold part to thereby remove the thread from the thread-forming portion of the cavity mold part while retaining the molded product on the core mold part in order to satisfy specific process or end-use requirements.

Page 6

Regarding Claim 14, Cole shows the apparatus as claimed as discussed in the rejection of Claim 12 above, wherein the product further includes a thread at the outside of one end of the product (Figure 1); wherein the cavity mold part includes a thread forming portion for forming the thread of the product (Figure 3); wherein the core mold part includes an inner core that is movable relative to the generally cylindrical portion of the core mold part for forming an inside segment of the product lying inside the thread when the inner core is protracted (Figure 3, e.g. element 119, 111; Column 7, lines 59-66); wherein the mold cavity for forming the molded product with a thread at the outside of one end of the product is configured when the cavity mold part is combined with the core mold part and the inner core is protracted relative to the generally cylindrical portion of the core mold part (Figure 3); and wherein the apparatus comprises means for separating the core mold part from the cavity mold part to thereby remove the thread from the thread-forming portion of the cavity mold part (Figures 4-6). Although Cole does not explicitly show means for separating the core mold part from the cavity mold part to thereby remove the thread from the thread-forming portion of the cavity mold part while retaining the molded product on the core mold part, he clearly discloses that his movable mold pieces can be moved in any desired sequence, as is wellknown in the art (Column 6, lines 60-68). Therefore, it would have been prima

facie obvious to one of ordinary skill in the art at the time the invention was made to provide means to separate the core mold part from the cavity mold part to thereby remove the thread from the thread-forming portion of the cavity mold part while retaining the molded product on the core mold part in order to satisfy specific process or end-use requirements.

Regarding Claim 15, Cole shows that it is known to have an apparatus for manufacturing a hollow plastic product with a substantially tubular section and a thread at the outside of one end of the product (Figures 1-2), comprising a cavity mold part that includes a generally cylindrical portion for forming at least an outside segment of the substantially tubular section of a hollow plastic product that also has a thread at the outside of one end of the product and a thread forming portion for forming the thread of the product (Figure 3); a core mold part that includes a generally cylindrical portion for forming at least an inside segment of the substantially tubular section of the product and an inner core that is movable relative to the generally cylindrical portion of the core mold part for forming an inside segment of the product lying inside the thread when the inner core is protracted (Figure 3, e.g. element 119, 111; Column 7, lines 59-66); wherein a mold cavity for forming a molded product with a substantially tubular section and a thread at the outside of one end of the product is configured when the cavity mold part is combined with the core mold part and the inner core is protracted relative to the generally cylindrical portion of the core mold part, and the molded product is formed by injecting plastic material into the mold cavity (Figure 3; Column 8, lines 57-59); and means for separating the core mold part from the cavity mold part to thereby remove the thread from the thread-forming portion of the cavity mold part (Figures 4-6). Although Cole does not explicitly show means for separating the core mold part from the cavity mold part to thereby remove the thread from the thread-forming portion of the cavity mold part while retaining the molded product on the core mold part, he clearly discloses that his movable mold

Application/Control Number: 10/813,970

Art Unit: 1732

pieces can be moved in any desired sequence, as is well-known in the art (Column 6, lines 60-68). Therefore, it would have been prima facie obvious to one of ordinary skill in the art at the time the invention was made to provide means to separate the core mold part from the cavity mold part to thereby remove the thread from the thread-forming portion of the cavity mold part while retaining the molded product on the core mold part in order to satisfy specific process or end-use requirements.

Page 8

Response to Arguments

Applicant's arguments filed 11 August 2006 have been fully considered but they are not persuasive.

Applicant contends that Cole does not show the instant invention because he does not show a manufacturing process step of removing a portion of his closed end molded product. This is not persuasive because the claim does not necessarily exclude a step which is carried out by a consumer or other individual. Although the "removing" step is a positively-recited step in the "manufacturing process" (See Abstract), the "removing" step is only limited to occurring after the molded product is removed from the mold and resulting in a hollow plastic product with two open ends and a substantially tubular section. Therefore, regardless of how or when the closed end is removed, since Cole shows removing a closed end, it is maintained that he shows the instant invention.

Applicant contends that Cole does not show the instant invention because he does not show an inside segment that is formed by an inner core part. This is not persuasive because it is maintained that Cole shows an inner segment (ele. 14) is formed by an inner core (ele. 111).

Application/Control Number: 10/813,970

Art Unit: 1732

Conclusion

Page 9

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Monica A. Huson whose telephone number is 571-272-1198. The examiner can normally be reached on Monday-Friday 6:45am-3:15pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Christina Johnson can be reached on 571-272-1176. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/813,970 Page 10

Art Unit: 1732

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Monica A Huson

August 24, 2006

CHRISTINA JOHNSON PRIMARY EXAMINER

8/24/04